

Publications of D. W. O. Rogers

Contents

| | | |
|----------|--|-----------|
| 1 | Refereed Publications | 2 |
| 2 | Chapters in Books | 15 |
| 3 | Book Editing | 17 |
| 4 | Published in Proceedings (final, refereed papers) | 17 |
| 5 | Published in Proceedings (extended abstracts) | 18 |
| 6 | Internal Reports | 22 |
| 7 | Other | 30 |
| 8 | Book Reviews | 30 |
| 9 | Non-Technical Publications | 31 |

Google Scholar: <https://scholar.google.ca/citations?user=gkEX5YcAAAAJ&hl=en>

1 Refereed Publications

- [1] J. H. Aitken, K. W. Allen, R. E. Azuma, A. E. Litherland, and D. W. O. Rogers, **Discovery of the $\frac{11}{2}^+$ level in ^{19}F** , Phys. Lett. **28B**, 653 – 655 (1969).
- [2] J. H. Aitken, R. E. Azuma, A. E. Litherland, A. M. Charlesworth, D. W. O. Rogers, and J. J. Simpson, **Survey of new resonances in the $^{15}\text{N}(\alpha, \gamma)^{19}\text{F}$ reaction**, Can. J. Phys. **48**, 1617 – 1621 (1970).
- [3] W. R. Dixon, R. S. Storey, J. H. Aitken, A. E. Litherland, and D. W. O. Rogers, **New High Spin States in ^{19}F and a Possible $K = \frac{3}{2}^+$ Band**, Phys. Rev. Lett. **27**, 1460 – 1463 (1971).
- [4] D. W. O. Rogers, K. W. Allen, H. C. Evans, N. A. Jelley, A. E. Litherland, and B. Y. Underwood, **The 5- Resonance in the $^{16}\text{O}(\alpha, \gamma)^{20}\text{Ne}$ Reaction at $E_\alpha = 4.65$ MeV**, Phys. Lett. **37B**, 65 – 67 (1971).
- [5] D. W. O. Rogers, J. H. Aitken, A. E. Litherland, W. R. Dixon, and R. S. Storey, **Radiative Width of the 6^+ level in ^{20}Ne at 8.78 MeV**, Can. J. Phys. **49**, 1397 – 1400 (1971).
- [6] D. W. O. Rogers, J. H. Aitken, and A. E. Litherland, **The $\frac{5}{2}^-$ Resonance at 850 keV in $^{15}\text{N}(\alpha, \gamma)^{19}\text{F}$** , Can. J. Phys. **50**, 268 – 277 (1972).
- [7] D. W. O. Rogers, R. P. Beukens, and W. T. Diamond, **Resonances in the $^{15}\text{N}(\alpha, \gamma)^{19}\text{F}$ Reaction Between $E=1.68$ and 2.72 MeV**, Can. J. Phys. **50**, 2428 – 2443 (1972).
- [8] D. W. O. Rogers, W. R. Dixon, and R. S. Storey, **Evidence for the $\frac{11}{2}^-$ Member of the $K = \frac{1}{2}^-$ Band in ^{19}F** , Can. J. Phys. **51**, 1 – 8 (1973).
- [9] D. W. O. Rogers, **The Three Particle Structure of ^{19}F** , Nuc. Phys. **A207**, 465 – 485 (1973).
- [10] D. W. O. Rogers, J. A. Becker, T. K. Alexander, N. Anyas-Weiss, T. A. Belote, S. P. Dolan, N. A. Jelley, and W. L. Randolph, **The Electromagnetic Decay of ^{17}N** , Nuc. Phys. **A226**, 424 – 444 (1974).
- [11] D. W. O. Rogers, N. Anyas-Weiss, T. A. Belote, S. P. Dolan, N. A. Jelley, and W. L. Randolph, **Lifetime Measurements in ^{17}N using the Recoil-Distance Technique**, Nuc. Phys. **A226**, 445 – 453 (1974).
- [12] D. W. O. Rogers, **Analytic and graphical methods for assigning errors to parameters in non-linear least squares fitting**, Nucl Inst and Meth **127**, 253 – 260 (1975).
- [13] D. W. O. Rogers, A. L. Carter, T. J. M. Symons, S. P. Dolan, N. Anyas-Weiss, and K. W. Allen, **The Electromagnetic Decay of the $T=\frac{3}{2}$ States in ^{19}F** , Can. J. Phys. **54**, 938 – 943 (1976).
- [14] K. W. Geiger and D. W. O. Rogers, **Time Dependence of the Thermal Neutron Flux Density in the Canadian Flux Standard**, Metrologia **13**, 67 – 68 (1977).

- [15] D. W. O. Rogers, M. L. Walsh, B. H. Orr, and N. Teekman, **Albedo-Dosimeter response to Mono-energetic Neutrons**, Health Physics **33**, 251 – 254 (1977).
- [16] D. W. O. Rogers, **The $^{45}\text{Sc}(\text{p},\text{n})$ Reaction as a Source of 10-50 keV Neutrons**, Nuclear Instruments and Methods **142**, 475 – 478 (1977).
- [17] D. W. O. Rogers, W. R. Dixon, and R. S. Storey, **A Study of $^{28}\text{Si}(\alpha,\gamma)$ Resonances Below $E_\alpha = 3.83 \text{ MeV}$** , Nuclear Physics **A281**, 345 – 353 (1977).
- [18] D. W. O. Rogers, N. Anyas-Weiss, S. P. Dolan, N. A. Jolley, and T. K. Alexander, **Gamma Decay of the $T=\frac{3}{2}$ States in ^{25}Al** , Can. J. Phys. **55**, 206 – 211 (1977).
- [19] D. W. O. Rogers, **Conversion of neutrons/cm² to rem**, Health Physics **34**, 395 – 395 (1978).
- [20] D. W. O. Rogers, **Why Not to Trust a Neutron Remmeter**, Health Physics **37**, 735 – 742 (1979).
- [21] D. W. O. Rogers and R. J. Templin, **Errors in a Risk Assessment of Renewable Resources**, Energy **5**, 101 – 103 (1980).
- [22] D. W. O. Rogers, **Energy Resource Requirements of a Solar Heating System**, Energy **5**, 75 – 86 (1980).
- [23] D. W. O. Rogers and G. Van Dyk, **Use of a Neutron Remmeter to Measure Leakage Neutrons from Medical Electron Accelerators**, Med. Phys. **8**, 163 – 166 (1981).
- [24] D. W. O. Rogers, **More realistic Monte Carlo calculations of photon detector response functions**, Nucl. Instrum. Meth. **199**, 531 – 548 (1982).
- [25] H. Mach and D. W. O. Rogers, **An Absolutely Calibrated Source of 6.13 MeV Gamma-rays**, IEEE Trans. on Nuclear Science **NS-30**, 1514 – 1517 (1983).
- [26] D. W. O. Rogers, **A Nearly Mono-Energetic 6 to 7 MeV Photon Calibration Source**, Health Physics **45**, 127 – 137 (1983).
- [27] H. Mach and D. W. O. Rogers, **A Measurement of Absorbed Dose to Water per Unit Incident 7 MeV Photon Fluence**, Phys. Med. Biol. **29**, 1555 – 1570 (1984).
- [28] D. W. O. Rogers, **Low energy electron transport with EGS**, Nucl. Inst. Meth. **227**, 535 – 548 (1984).
- [29] D. W. O. Rogers, **Fluence to Dose Equivalent Conversion Factors Calculated with EGS3 for Electrons from 100 keV to 20 GeV and Photons from 20 keV to 20 GeV**, Health Physics **46**, 891 – 914 (1984).
- [30] A. F. Bielajew, D. W. O. Rogers, and A. E. Nahum, **Monte Carlo simulation of ion chamber response to ^{60}Co – Resolution of anomalies associated with interfaces**, Phys. Med. Biol. **30**, 419 – 428 (1985).

- [31] W. R. Dixon, R. S. Storey, D. W. O. Rogers, and A. A. Pilt, **Comment on “Negative Parity alpha clusters in $^{19}\text{F}.$ ”**, Phys. Rev **C32**, 2205 – 2206 (1985).
- [32] D. W. O. Rogers and A. F. Bielajew, **Calculated buildup curves for photons with energies up to ^{60}Co** , Med. Phys. **12**, 738 – 744 (1985).
- [33] D. W. O. Rogers, A. F. Bielajew, and A. E. Nahum, **Ion chamber response and A_{wall} correction factors in a ^{60}Co beam by Monte Carlo simulation**, Phys. Med. Biol. **30**, 429 – 443 (1985).
- [34] A. F. Bielajew and D. W. O. Rogers, **Interface artefacts in Monte Carlo calculations**, Phys. Med. Biol. **31**, 301 – 302 (1986).
- [35] J. R. Cunningham, M. Woo, D. W. O. Rogers, and A. F. Bielajew, **The Dependence of Mass Energy Absorption Coefficient Ratios on Beam Size and Depth in a Phantom**, Med. Phys. **13**, 496 – 502 (1986).
- [36] D. W. O. Rogers and A. F. Bielajew, **Differences in Electron Depth Dose Curves Calculated with EGS and ETRAN and Improved Energy Range Relationships**, Med. Phys. **13**, 687 – 694 (1986).
- [37] D. W. O. Rogers, C. K. Ross, K. R. Shortt, and A. F. Bielajew, **Comments on the ^{60}Co Graphite/Air Stopping-Power Ratio used in the AAPM Protocol**, Med. Phys. **13**, 964 – 965 (1986).
- [38] D. W. O. Rogers, **Survey Instrument Calibrations in High Energy Photon Fields**, Health Physics **51**, 555 – 556 (1986).
- [39] R. J. Schulz, P. R. Almond, G. Kutcher, R. Loevinger, R. Nath, D. W. O. Rogers, N. Suntharalingham, K. A. Wright, and F. Khan, **Clarification of the AAPM Task Group 21 Protocol**, Med. Phys. **13**, 755 – 759 (1986).
- [40] K. R. Shortt, C. K. Ross, A. F. Bielajew, and D. W. O. Rogers, **Electron Beam Dose Distributions Near Standard Inhomogeneities**, Phys. Med. Biol. **31**, 235 – 249 (1986).
- [41] A. F. Bielajew and D. W. O. Rogers, **PRESTA: The Parameter Reduced Electron-Step Transport Algorithm for electron Monte Carlo transport**, Nucl. Inst. Meth. B **18**, 165 – 181 (1987).
- [42] T. R. Mackie, A. F. Bielajew, D. W. O. Rogers, and J. J. Battista, **Generation of energy deposition kernels using the EGS Monte Carlo code**, Phys. Med. Biol. **33**, 1 – 20 (1988).
- [43] D. W. O. Rogers and C. K. Ross, **The role of humidity and other correction factors in the AAPM TG-21 dosimetry protocol**, Med. Phys. **15**, 40 – 48 (1988).
- [44] C. K. Ross and D. W. O. Rogers, **Comments on “The Effects of Air Humidity on Ionization Chamber Response”**, Radiation Protection Dosimetry **22**, 127 – 128 (1988).

- [45] D. W. O. Rogers, G. M. Ewart, A. F. Bielajew, and G. van Dyk, **Calculation of Electron Contamination in a ^{60}Co Therapy Beam**, in "Proceedings of the IAEA International Symposium on Dosimetry in Radiotherapy" (IAEA, Vienna), Vol 1 , 303 – 312 (1988).
- [46] J. Cygler, J. Szanto, M. Soubra, and D. W. O. Rogers, **Effects of gold and silver backings on the dose rate around an ^{125}I seed**, Med. Phys. 17, 172 – 178 (1990).
- [47] B. A. Faddegon, C. K. Ross, and D. W. O. Rogers, **Forward-directed bremsstrahlung of 10- to 30-MeV electrons incident on thick targets of Al and Pb**, Med. Phys. 17, 773 – 785 (1990).
- [48] B. A. Faddegon, L. Van der Zwan, D. W. O. Rogers, and C. K. Ross, **Precision response estimation, energy calibration, and unfolding of spectra measured with a large NaI detector**, Nucl. Inst. Meth. A 301, 138 – 149 (1990).
- [49] D. W. O. Rogers and A. F. Bielajew, **Wall attenuation and scatter corrections for ion chambers: measurements versus calculations**, Phys. Med. Biol. 35, 1065 – 1078 (1990).
- [50] B. A. Faddegon, C. K. Ross, and D. W. O. Rogers, **Angular distribution of bremsstrahlung from 15 MeV electrons incident on thick targets of Be, Al and Pb**, Med. Phys. 18, 727 – 739 (1991).
- [51] C. Malamut, D. W. O. Rogers, and A. F. Bielajew, **Calculation of water/air stopping-power ratios using EGS4 with explicit treatment of electron - positron differences**, Med. Phys. 18, 1222 – 1228 (1991).
- [52] D. W. O. Rogers, **The role of Monte Carlo simulation of electron transport in radiation dosimetry**, Int'l J. Appl. Radiation and Isotopes 42, 965 – 974 (1991).
- [53] A. F. Bielajew and D. W. O. Rogers, **A standard timing benchmark for EGS4 Monte Carlo calculations**, Med. Phys. 19, 303 – 304 (1992).
- [54] A. F. Bielajew and D. W. O. Rogers, **Implications of new correction factors on primary air kerma standards in ^{60}Co beams**, Phys. Med. Biol. 37, 1283 – 1291 (1992).
- [55] B. A. Faddegon, C. K. Ross, and D. W. O. Rogers, **Measurement of collision stopping powers of graphite, aluminum and copper for 10 and 20 MeV electrons**, Phys. Med. Biol. 37, 1561 – 1571 (1992).
- [56] D. W. O. Rogers and B. A. Faddegon, **Re-evaluation of total stopping power of 5.3 MeV electrons in polystyrene**, Phys. Med. Biol. 37, 969 – 983 (1992).
- [57] D. W. O. Rogers and C. K. Ross, **Comparison of IAEA 1987 and AAPM 1983 protocols for dosimetry calibration of radiotherapy beams**, Med. Phys. 19, 213 – 214 (1992).
- [58] D. W. O. Rogers, **The advantages of absorbed-dose calibration factors**, Med. Phys. 19, 1227 – 1239 (1992).

- [59] D. W. O. Rogers, **Calibration of Parallel-Plate Ion Chambers: Resolution of Several Problems by Using Monte Carlo Calculations**, Med. Phys. **19**, 889 – 899 (1992).
- [60] B. A. Faddegon and D. W. O. Rogers, **Comparisons of thick-target bremsstrahlung calculations by EGS4 and ITS**, Nucl. Inst. Meth. A **327**, 556 – 565 (1993).
- [61] M. A. Holmes, T. R. Mackie, W. Sohn, P. J. Reckwerdt, T. J. Kinsella, A. F. Bielajew, and D. W. O. Rogers, **The application of correlated sampling to the computation of electron beam dose distributions in heterogeneous phantoms using the Monte Carlo method**, Phys. Med. Biol. **38**, 675 – 688 (1993).
- [62] A. Kosunen and D. W. O. Rogers, **Beam quality specification for photon beam dosimetry**, Med. Phys. **20**, 1181 – 1188 (1993).
- [63] C.-M. Ma, D. W. O. Rogers, K. R. Shortt, C. K. Ross, A. E. Nahum, and A. F. Bielajew, **Wall correction and absorbed dose conversion factors for Fricke dosimetry: Monte Carlo calculations and measurements**, Med. Phys. **20**, 283 – 292 (1993).
- [64] D. W. O. Rogers, **How accurately can EGS4/PRESTA calculate ion chamber response?**, Med. Phys. **20**, 319 – 323 (1993).
- [65] P. R. Almond, F. H. Attix, S. Goetsch, L. J. Humphries, H. Kubo, R. Nath, and D. W. O. Rogers, **The calibration and use of plane-parallel ionization chambers for dosimetry of electron beams: An extension of the 1983 AAPM protocol, Report of AAPM Radiation Therapy Committee Task Group 39**, Med. Phys. **21**, 1251 – 1260 (1994).
- [66] X. A. Li and D. W. O. Rogers, **Reducing Electron Contamination for Photon-Beam-Quality Specification**, Med. Phys. **21**, 791 – 798 (1994).
- [67] C. M. Wells, T. R. Mackie, M. B. Podgorsak, M. A. Holmes, N. Papanikolaou, P. J. Reckwerdt, J. Cygler, D. W. O. Rogers, A. F. Bielajew, D. G. Schmidt, and J. K. Muehlenkamp, **Measurements of electron dose distribution near inhomogeneities using a plastic scintillator detector**, Int. J. Radiat. Oncol. Biol. Phys. **29**, 1157 – 1165 (1994).
- [68] M. Boutillon, B. M. Coursey, K. Hohlfeld, B. Owen, and D. W. O. Rogers, **Comparison of primary water absorbed dose standards**, in *Proc. of Symp. on Measurement Assurance in Dosimetry*, pages 95 – 111, IAEA-SM-330/48, IAEA, Vienna, 1994.
- [69] C. K. Ross, K. R. Shortt, D. W. O. Rogers, and F. Delaunay, **A Test of TPR_{10}^{20} as a Beam Quality Specifier for High-Energy Photon Beams**, in *Proc. of Symp. on Measurement Assurance in Dosimetry*, pages 309 – 321, IAEA-SM-330/10, IAEA, Vienna, 1994.
- [70] D. W. O. Rogers, C. K. Ross, K. R. Shortt, N. V. Klassen, and A. F. Bielajew, **Towards a Dosimetry System Based on Absorbed-Dose Standards**, in *Proc. of Symp. on Meas. Assurance in Dosimetry*, pages 565 – 580, IAEA-SM-330/9, IAEA, Vienna, 1994.
- [71] G. X. Ding, D. W. O. Rogers, and T. R. Mackie, **Calculation of stopping-power ratios using realistic clinical electron beams**, Med. Phys. **22**, 489 – 501 (1995).

- [72] X. A. Li and D. W. O. Rogers, **Electron mass scattering powers: Monte Carlo and analytical calculations**, Med. Phys. **22**, 531 – 541 (1995).
- [73] D. W. O. Rogers, B. A. Faddegon, G. X. Ding, C.-M. Ma, J. Wei, and T. R. Mackie, **BEAM: A Monte Carlo code to simulate radiotherapy treatment units**, Med. Phys. **22**, 503 – 524 (1995).
- [74] D. T. Burns, G. X. Ding, and D. W. O. Rogers, **R₅₀ as a beam quality specifier for selecting stopping-power ratios and reference depths for electron dosimetry**, Med. Phys. **23**, 383 – 388 (1996).
- [75] G. X. Ding, D. W. O. Rogers, and T. R. Mackie, **Mean energy, energy-range relationship and depth-scaling factors for clinical electron beams**, Med. Phys. **23**, 361 – 376 (1996).
- [76] G. X. Ding, D. W. O. Rogers, J. E. Cygler, and T. R. Mackie, **Electron fluence correction factors used in conversion of dose in plastic to dose in water**, Med. Phys. **24**, 161 – 176 (1997).
- [77] C.-M. Ma, B. A. Faddegon, D. W. O. Rogers, and T. R. Mackie, **Accurate characterization of Monte Carlo calculated electron beams for radiotherapy**, Med. Phys. **24**, 401 – 416 (1997).
- [78] D. W. O. Rogers, **A new approach to electron beam reference dosimetry**, Med. Phys. **25**, 310 – 320 (1998).
- [79] G. G. Zhang, D. W. O. Rogers, J. E. Cygler, and T. R. Mackie, **Effects of changes in stopping-power ratios with field size on electron beam ROFs**, Med. Phys. **25**, 1711 – 1724 (1998).
- [80] J. Borg and D. W. O. Rogers, **Spectra and Air-Kerma Strength for Encapsulated ¹⁹²Ir Sources**, Med. Phys. **26**, 2441 – 2444 (1999).
- [81] G. Mora, A. Maio, and D. W. O. Rogers, **Monte Carlo simulation of a typical ⁶⁰Co therapy source**, Med. Phys. **26**, 2494 – 2502 (1999).
- [82] D. W. O. Rogers and C. L. Yang, **Corrected relationship between %dd(10)_x and stopping-power ratios**, Med. Phys. **26**, 538 – 540 (1999).
- [83] D. W. O. Rogers, **Correcting for electron contamination at dose maximum in photon beams**, Med. Phys. **26**, 533 – 537 (1999).
- [84] P. R. Almond, P. J. Biggs, B. M. Coursey, W. F. Hanson, M. S. Huq, R. Nath, and D. W. O. Rogers, **AAPM's TG-51 protocol for clinical reference dosimetry of high-energy photon and electron beams**, Med. Phys. **26**, 1847 – 1870 (1999).
- [85] G. G. Zhang, D. W. O. Rogers, J. E. Cygler, and T. R. Mackie, **Monte Carlo investigation of electron beam output factors vs size of square cutout**, Med. Phys. **26**, 743 – 750 (1999).

- [86] J. Borg, I. Kawrakow, D. W. O. Rogers, and J. P. Seuntjens, **Monte Carlo study of correction factors for Spencer-Attix cavity theory at photon energies at or above 100 keV**, Med. Phys. **27**, 1804 – 1813 (2000).
- [87] G. M. Daskalov, R. S. Baker, D. W. O. Rogers, and J. F. Williamson, **Dosimetric Modeling of the MicroSelectron High-Dose Rate ^{192}Ir Source by the Multigroup Discrete Ordinates Method**, Med. Phys. **27**, 2307 – 2319 (2000).
- [88] G. M. Daskalov, R. S. Baker, R. C. Little, D. W. O. Rogers, and J. F. Williamson, **Two-Dimensional Discrete Ordinates Photon Transport Calculations for Brachytherapy Dosimetry Applications**, Nuclear Science and Engineering **134**, 121 – 134 (2000).
- [89] D. W. O. Rogers, **Comment on “On the beam quality specification of high-energy photons for radiotherapy dosimetry [Med. Phys. 27 434 – 440 (2000)]**, Med. Phys. **27**, 441 – 444 (2000).
- [90] J. P. Seuntjens, C. K. Ross, K. R. Shortt, and D. W. O. Rogers, **Absorbed-dose beam quality conversion factors for cylindrical chambers in high-energy photon beams**, Med. Phys. **27**, 2763 – 2779 (2000).
- [91] D. Sheikh-Bagheri, D. W. O. Rogers, C. K. Ross, and J. P. Seuntjens, **Comparison of measured and Monte Carlo calculated dose distributions from the NRC linac**, Med. Phys. **27**, 2256 – 2266 (2000).
- [92] G. M. Daskalov, R. S. Baker, D. W. O. Rogers, and J. F. Williamson, **Multigroup discrete ordinates modelling of ^{125}I 6702 seed dose distributions using a broad energy-group cross section representation**, Med. Phys. **29**, 113 – 124 (2002).
- [93] D. W. O. Rogers, **Review of ‘ICRU Report 64: Dosimetry of high-energy photon beams based on standards of absorbed dose to water’**, Phys. Med. Biol. **47**, 3663 – 3665 (2002).
- [94] D. Sheikh-Bagheri and D. W. O. Rogers, **Monte Carlo calculation of nine megavoltage photon beam spectra using the BEAM code**, Med. Phys. **29**, 391 – 402 (2002).
- [95] D. Sheikh-Bagheri and D. W. O. Rogers, **Sensitivity of megavoltage photon beam Monte Carlo simulations to electron beam and other parameters**, Med. Phys. **29**, 379 – 390 (2002).
- [96] B. R. B. Walters, I. Kawrakow, and D. W. O. Rogers, **History by history statistical estimators in the BEAM code system**, Med. Phys. **29**, 2745 – 2752 (2002).
- [97] L. A. Buckley, I. Kawrakow, and D. W. O. Rogers, **An EGSnrc investigation of cavity theory for ion chambers measuring air kerma**, Med. Phys. **30**, 1211 – 1218 (2003).
- [98] N. I. Kalach and D. W. O. Rogers, **Which accelerator photon beams are “clinic-like” for reference dosimetry purposes?**, Med. Phys. **30**, 1546 – 1555 (2003).

- [99] E. Mainegra-Hing, I. Kawrakow, and D. W. O. Rogers, **Calculations for plane-parallel ion chambers in ^{60}Co beams using the EGSnrc Monte Carlo code**, Med. Phys. **30**, 179 – 189 (2003).
- [100] D. W. O. Rogers and I. Kawrakow, **Monte Carlo calculated correction factors for primary standards of air-kerma**, Med. Phys. **30**, 521 – 543 (2003).
- [101] L. A. Buckley, I. Kawrakow, and D. W. O. Rogers, **CSnrc: correlated sampling Monte Carlo calculations using EGSnrc**, Med. Phys. **31**, 3425 – 3435 (2004).
- [102] I. Kawrakow, D. W. O. Rogers, and B. Walters, **Large efficiency improvements in BEAMnrc using directional bremsstrahlung splitting**, Med. Phys. **31**, 2883 – 2898 (2004).
- [103] J. P. McCaffrey, E. Mainegra-Hing, I. Kawrakow, K. R. Shortt, and D. W. O. Rogers, **Evidence for using Monte Carlo calculated wall attenuation and scatter correction factors for three styles of graphite-walled ion chambers**, Phys. Med. Biol. **49**, 2491 – 2501 (2004).
- [104] D. W. O. Rogers, **Accuracy of the Burns equation for stopping-power ratio as a function of depth and R_{50}** , Med. Phys. **31**, 2961 – 2963 (2004).
- [105] G. G. Zeng, M. R. McEwen, D. W. O. Rogers, and N. V. Klassen, **An experimental and Monte Carlo investigation of the energy dependence of alanine/EPR dosimetry: I. Clinical x-ray beams**, Phys. Med. Biol. **49**, 257 – 270 (2004).
- [106] E. Mainegra-Hing, D. W. O. Rogers, and I. Kawrakow, **Calculation of energy deposition kernels for photons and dose point kernels for electrons**, Med. Phys. **32**, 685 – 699 (2005).
- [107] T. P. Selvam, P. R. B. Saull, and D. W. O. Rogers, **Monte Carlo modelling of the response of NRC's $^{90}\text{Sr}/^{90}\text{Y}$ primary beta standard**, Med. Phys. **32**, 3084 – 3094 (2005).
- [108] S. D. Thomas, M. Mackenzie, D. W. O. Rogers, and B. G. Fallone, **A Monte Carlo derived TG-51 equivalent calibration for helical tomotherapy**, Med. Phys. **32**, 1346 – 1353 (2005).
- [109] G. G. Zeng, M. R. McEwen, D. W. O. Rogers, and N. V. Klassen, **An experimental and Monte Carlo investigation of the energy dependence of alanine/EPR dosimetry: II. Clinical electron beams**, Phys. Med. Biol. **50**, 1119 – 1129 (2005).
- [110] L. A. Buckley and D. W. O. Rogers, **Wall correction factors, P_{wall} , for thimble ionization chambers**, Med. Phys. **33**, 455 – 464 (2006).
- [111] L. A. Buckley and D. W. O. Rogers, **Wall correction factors, P_{wall} , for parallel-plate ionization chambers**, Med. Phys. **33**, 1788 – 1796 (2006).
- [112] D. J. La Russa and D. W. O. Rogers, **An EGSnrc investigation of the P_{TP} correction factor for ion chambers in kilovoltage x-rays**, Med. Phys. **33**, 4590 – 4599 (2006).

- [113] E. Mainegra-Hing and D. W. O. Rogers, **On the accuracy of techniques for obtaining the calibration coefficient N_K of ^{192}Ir HDR brachytherapy sources.**, Med. Phys. 33, 3340 – 3347 (2006).
- [114] D. W. O. Rogers, **Fifty years of Monte Carlo simulations for medical physics**, Phys. Med. Biol. 51, R287 – R301 (2006).
- [115] R. E. P. Taylor, G. Yegin, and D. W. O. Rogers, **Benchmarking BrachyDose: voxel-based EGSnrc Monte Carlo calculations of TG–43 dosimetry parameters**, Med. Phys. 34, 445 – 457 (2007).
- [116] E. S. M. Ali and D. W. O. Rogers, **Efficiency improvements of x-ray simulations in EGSnrc user-codes using Bremsstrahlung Cross Section Enhancement (BCSE)**, Med. Phys. 34, 2143 – 2154 (2007).
- [117] D. J. La Russa, M. McEwen, and D. W. O. Rogers, **An experimental and computational investigation of the standard temperature-pressure correction factor for ion chambers in kilovoltage x rays**, Med. Phys. 34, 4690 – 4699 (2007).
- [118] I. J. Chetty, B. Curran, J. Cygler, J. J. DeMarco, G. Ezzell, B. A. Faddegon, I. Kawrakow, P. J. Keall, H. Liu, C. M. C. Ma, D. W. O. Rogers, J. Seuntjens, D. Sheikh-Bagheri, and J. V. Siebers, **Report of the AAPM Task Group No. 105: Issues associated with clinical implementation of Monte Carlo-based photon and electron external beam treatment planning**, Med. Phys. 34, 4818 – 4853 (2007).
- [119] L. L. W. Wang and D. W. O. Rogers, **Monte Carlo Study of Si Diode Response in Electron Beams**, Med. Phys. 34, 1734 – 1742 (2007).
- [120] E. S. M. Ali and D. W. O. Rogers, **Benchmarking EGSnrc in the kilovoltage energy range against experimental measurements of charged particle backscatter coefficients**, Phys. Med. Biol. 53, 1527 – 1543 (2008).
- [121] E. S. M. Ali and D. W. O. Rogers, **Energy spectra and angular distributions of charged particles backscattered from solid targets**, J. Phys. D: Appl. Phys. 41, 055505 (9 pp) (2008).
- [122] E. S. M. Ali and D. W. O. Rogers, **Quantifying the effect of off-focal radiation on the output of kilovoltage x-ray systems**, Med. Phys. 35, 4149 – 4160 (2008).
- [123] G. Ibbott, C.-M. C. Ma, D. W. O. Rogers, S. Seltzer, and J. Williamson, **Fifty years of AAPM involvement in radiation dosimetry**, Med. Phys. 35, 1418 – 1427 (2008).
- [124] D. J. La Russa and D. W. O. Rogers, **Accuracy of EGSnrc calculations of the response of various ion chambers to ^{60}Co beams**, Med. Phys. 35, 5629 – 5640 (2008).
- [125] D. J. La Russa and D. W. O. Rogers, **Accuracy of Spencer-Attix cavity theory and calculations of fluence correction factors for the air kerma formalism**, Med. Phys. 36, 4173 – 4183 (2009).

- [126] R. E. P. Taylor and D. W. O. Rogers, **More accurate fitting of ^{125}I and ^{103}Pd radial dose functions**, Med. Phys. **35**, 4242 – 4250 (2008).
- [127] R. E. P. Taylor and D. W. O. Rogers, **An EGSnrc Monte Carlo-calculated database of TG-43 parameters**, Med. Phys. **35**, 4228 – 4241, http://physics.carleton.ca/clrp/seed_database (2008).
- [128] R. E. P. Taylor and D. W. O. Rogers, **EGSnrc Monte Carlo calculated dosimetry parameters for ^{192}Ir and ^{169}Yb brachytherapy sources**, Med. Phys. **35**, 4933 – 4944 (2008).
- [129] R. M. Thomson, R. E. P. Taylor, and D. W. O. Rogers, **Monte Carlo dosimetry for ^{125}I and ^{103}Pd eye plaque brachytherapy**, Med. Phys. **35**, 5530 – 5543 (2008).
- [130] L. L. W. Wang and D. W. O. Rogers, **Calculation of the replacement correction factors for ion chambers in megavoltage beams by Monte Carlo simulation**, Med. Phys. **35**, 1747 – 1755 (2008).
- [131] L. L. W. Wang and D. W. O. Rogers, **The replacement correction factor for the BIPM flat cavity ion chamber and the value of W/e**, Med. Phys. **35**, 4410 – 4416 (2008).
- [132] L. L. W. Wang, D. J. La Russa, and D. W. O. Rogers, **Systematic uncertainties in the Monte Carlo calculation of ion chamber replacement correction factors**, Med. Phys. **36**, 1785 – 1789 (2009).
- [133] G. Xiong and D. W. O. Rogers, **Relationship between %dd(10)_x and stopping-power ratios for flattening filter free accelerators: A Monte Carlo study**, Med. Phys. **35**, 2104 – 2109 (2008).
- [134] L. L. W. Wang and D. W. O. Rogers, **Study of the effective point of measurement for ion chambers in electron beams by Monte Carlo simulation**, Med. Phys. **36**, 2034 – 2042 (2009).
- [135] L. L. W. Wang and D. W. O. Rogers, **The replacement correction factors for cylindrical chambers in high-energy photon beams**, Phys. Med. Biol. **54**, 1609 – 1620 (2009).
- [136] L. L. W. Wang and D. W. O. Rogers, **Replacement correction factors for cylindrical ion chambers in electron beams**, Med. Phys. **36**, 4600 – 4608 (2009).
- [137] B. R. Muir and D. W. O. Rogers, **Monte Carlo calculations of k_Q , the beam quality conversion factor**, Med. Phys. **37**, 5939 – 5950 (2010).
- [138] J. G. H. Sutherland and D. W. O. Rogers, **Monte Carlo calculated absorbed-dose energy dependence of EBT and EBT2 film**, Med. Phys. **37**, 1110 – 1116 (2010).
- [139] R. M. Thomson and D. W. O. Rogers, **Monte Carlo dosimetry for ^{125}I and ^{103}Pd eye plaque brachytherapy with various seed models**, Med. Phys. **37**, 368 – 376 (2010).

- [140] R. M. Thomson and D. W. O. Rogers, **Re-evaluation of the product of $(W/e)_{air}$ and the graphite to air stopping-power ratio for ^{60}Co air kerma standards**, Phys. Med. Biol. 55, 3577 – 3595 (2010).
- [141] R. M. Thomson, K. M. Furutani, J. S. Pulido, S. L. Stafford, and D. W. O. Rogers, **Modified COMS plaques for ^{125}I and ^{103}Pd iris melanoma brachytherapy**, Int. J. Radiat. Oncol. Biol. Phys. 78, 1261 – 1269 (2010).
- [142] L. L. W. Wang and D. W. O. Rogers, **Replacement correction factors for plane-parallel ion chambers in electron beams**, Med. Phys. 37, 461 – 465 (2010).
- [143] L. L. W. Wang and D. W. O. Rogers, **Reply to 'On the p_{dis} correction factor for cylindrical chambers'**, Phys. Med. Biol. 55, L17 – L19 (2010).
- [144] B. R. Muir and D. W. O. Rogers, **The central electrode correction factor for high-Z electrodes in small ionization chambers**, Med. Phys. 38, 1081 – 1088 (2011).
- [145] B. R. Muir, M. R. McEwen, and D. W. O. Rogers, **Measured and Monte Carlo calculated k_Q factors: accuracy and comparison**, Med. Phys. 38, 4600 – 4609 (2011).
- [146] M. J. Rivard, S.-T. Chiu-Tsao, P. T. Finger, A. S. Meigooni, C. S. Melhus, F. Mourtada, M. E. Napolitano, D. W. O. Rogers, R. M. Thomson, and R. Nath, **Comparison of dose calculation methods for brachytherapy of intraocular tumors**, Med. Phys. 38, 306 – 316 (2011).
- [147] J. G. H. Sutherland, R. M. Thomson, and D. W. O. Rogers, **Changes in dose with segmentation of breast tissues in Monte Carlo calculations for low-energy brachytherapy**, Med. Phys. 38, 4858 – 4865 (2011).
- [148] E. S. M. Ali and D. W. O. Rogers, **Functional forms for photon spectra of clinical linacs**, Phys. Med. Biol. 55, 31 – 50 (2012).
- [149] E. S. M. Ali and D. W. O. Rogers, **An improved physics-based approach for unfolding megavoltage bremsstrahlung spectra using transmission analysis**, Med. Phys. 39, 1663 – 1675 (2012).
- [150] E. S. M. Ali, M. R. McEwen, and D. W. O. Rogers, **Detailed high-accuracy megavoltage transmission measurements: A sensitive experimental benchmark of EGSnrc**, Med. Phys. 39, 5990 – 6003 (2012).
- [151] E. S. M. Ali, M. R. McEwen, and D. W. O. Rogers, **Unfolding linac photon spectra and incident electron energies from experimental transmission data, with direct independent validation**, Med. Phys. 39, 6585 – 6596 (2012).
- [152] B. R. Muir, M. R. McEwen, and D. W. O. Rogers, **Beam quality conversion factors for parallel-plate ionization chambers in MV photon beams**, Med. Phys. 39, 1618 – 1631 (2012).
- [153] M. Rodriguez and D. W. O. Rogers, **A More Accurate Bare ^{125}I Spectrum**, Med. Phys. 39, 3816(abstract) (2012).

- [154] S.-T. Chiu-Tsao, M. A. Astrahan, P. T. Finger, D. S. Followill, A. S. Meigooni, C. S. Melhus, F. Mourtada, M. E. Napolitano, R. Nath, M. J. Rivard, D. W. O. Rogers, and R. M. Thomson, **Dosimetry of ^{125}I and ^{103}Pd COMS eye plaques for intraocular tumors: Report of Task Group 129 by the AAPM and ABS**, Med. Phys. 39, 6161 – 6184 (2012).
- [155] B. R. Muir and D. W. O. Rogers, **Monte Carlo calculations for reference dosimetry of electron beams with the PTW Roos and NE2571 ion chambers**, Med. Phys. 40, 121722 (16pp) (2013).
- [156] M. Rodriguez and D. W. O. Rogers, **On determining dose rate constants spectroscopically**, Med. Phys. 40, 011713 (10pp) (2013).
- [157] D. W. O. Rogers, **Comment on ‘Monte Carlo simulation on a gold nanoparticle irradiated by electron beams’**, Phys. Med. Biol. 58, 1999 – 2001 (2013).
- [158] B. R. Muir and D. W. O. Rogers, **Monte Carlo calculations of electron beam quality conversion factors for several ion chamber types**, Med. Phys. 41, 111701 (15pp) (2014).
- [159] B. R. Muir, M. R. McEwen, and D. W. O. Rogers, **Determination of relative ion chamber calibration coefficients from depth-ionization measurements in clinical electron beams**, Phys. Med. Biol. 59, 5953 – 5969 (2014).
- [160] M. Rodriguez and D. W. O. Rogers, **Effect of improved TLD dosimetry on the determination of dose rate constants for ^{125}I and ^{103}Pd brachytherapy seeds**, Med. Phys. 41, 114301 (15pp) (2014).
- [161] M. R. McEwen, L. A. DeWerd, G. S. Ibbott, D. S. Followill, D. W. O. Rogers, S. M. Seltzer, and J. P. Seuntjens, **Addendum to the AAPM’s TG-51 protocol for clinical reference dosimetry of high-energy photon beams**, Med. Phys. 41, 041501(20pp) (2014).
- [162] E. S. M. Ali, B. Spencer, M. R. McEwen, and D. W. O. Rogers, **Towards a quantitative, measurement-based estimate of the uncertainty in photon mass attenuation coefficients at radiation therapy energies**, Phys. Med. Biol. 60, 1641 – 1654 (2015).
- [163] I. Sechopoulos, E. S. M. Ali, A. Badal, A. Badano, J. M. Boone, I. S. Kyprianou, E. Mainegra-Hing, K. L. McMillan, M. F. McNitt-Gray, D. W. O. Rogers, E. Samei, and A. C. Turner, **Monte Carlo reference data sets for imaging research: Executive summary of the report of AAPM Research Committee Task Group 195**, Med. Phys. 42, 5679 – 5691 (2015).
- [164] V. N. Malkov and D. W. O. Rogers, **Charged particle transport in magnetic fields in EGSnrc**, Med. Phys. 43, 4447 – 4458 (2016).
- [165] M. Chamberland, R. E. P. Taylor, D. W. O. Rogers, and R. M. Thomson, **egs_brachy: a versatile and fast Monte Carlo code for brachytherapy**, Phys. Med. Biol. 61, 8214 – 8231 (2016).

- [166] V. N. Malkov and D. W. O. Rogers, **Sensitive volume effects on Monte Carlo calculated ion chamber response in magnetic fields**, Med. Phys. , 4854 – 4858 (2017).
- [167] I. Sechopoulos, D. W. O. Rogers, M. Bazalova-Carter, W. E. Bolch, E. C. Heath, M. F. McNitt-Gray, J. Sempau, and J. F. Williamson, **RECORDS: improved Reporting of montE CarIO RaDiation transport Studies: Report of AAPM Research Committee TG 268**, Med. Phys. 45, e1–e5 (2018).
- [168] I. Sechopoulos, D. W. O. Rogers, M. Bazalova-Carter, W. E. Bolch, E. C. Heath, M. F. McNitt-Gray, J. Sempau, and J. F. Williamson, **RECORDS: improved Reporting of montE CarIO RaDiation transport Studies: Brief Report**, Int. J. Radiat. Oncol. Biol. Phys. 101, 792 – 793 (2018).
- [169] R. M. Thomson, R. E. P. Taylor, M. J. P. Chamberland, and D. W. O. Rogers, **Reply to Comment on 'egs_brachy: a versatile and fast Monte Carlo code for brachytherapy'**, Phys. Med. Biol. 63, 038002(5pp) (2018).

2 Chapters in Books

- [1] A. F. Bielajew and D. W. O. Rogers, **Electron Step-Size Artefacts and PRESTA**, in *Monte Carlo Transport of Electrons and Photons*, edited by T. M. Jenkins, W. R. Nelson, A. Rindi, A. E. Nahum, and D. W. O. Rogers, pages 115 – 137, Plenum Press, New York, 1988.
- [2] A. F. Bielajew and D. W. O. Rogers, **Variance-reduction techniques**, in *Monte Carlo Transport of Electrons and Photons*, edited by T. M. Jenkins, W. R. Nelson, A. Rindi, A. E. Nahum, and D. W. O. Rogers, pages 407 – 419, Plenum Press, New York, 1988.
- [3] W. R. Nelson and D. W. O. Rogers, **Structure and Operation of the EGS4 code system**, in *Monte Carlo Transport of Electrons and Photons*, edited by T. M. Jenkins, W. R. Nelson, A. Rindi, A. E. Nahum, and D. W. O. Rogers, pages 287 – 306, Plenum Press, New York, 1988.
- [4] D. W. O. Rogers and A. F. Bielajew, **20 MeV electrons on a slab of water**, in *Monte Carlo Transport of Electrons and Photons*, edited by T. M. Jenkins, W. R. Nelson, A. Rindi, A. E. Nahum, and D. W. O. Rogers, pages 139 – 152, Plenum Press, New York, 1988.
- [5] D. W. O. Rogers and A. F. Bielajew, **Experimental benchmarks of EGS**, in *Monte Carlo Transport of Electrons and Photons*, edited by T. M. Jenkins, W. R. Nelson, A. Rindi, A. E. Nahum, and D. W. O. Rogers, pages 307 – 322, Plenum Press, New York, 1988.
- [6] D. W. O. Rogers and A. F. Bielajew, **A comparison of EGS and ETRAN**, in *Monte Carlo Transport of Electrons and Photons*, edited by T. M. Jenkins, W. R. Nelson, A. Rindi, A. E. Nahum, and D. W. O. Rogers, pages 323 – 344, Plenum Press, New York, 1988.
- [7] D. W. O. Rogers and A. F. Bielajew, **Monte Carlo techniques of electron and photon transport for radiation dosimetry**, in *The Dosimetry of Ionizing Radiation, Vol III*, edited by K. R. Kase, B. E. Bjärngard, and F. H. Attix, pages 427 – 539, Academic Press, 1990.
- [8] D. W. O. Rogers, **Fundamentals of High Energy X-ray and Electron Dosimetry Protocols**, in *Advances in Radiation Oncology Physics, Medical Physics Monograph 19*, edited by J. Purdy, pages 181 – 223, AAPM, New York, 1992.
- [9] D. W. O. Rogers, **New Dosimetry Standards**, in *Advances in Radiation Oncology Physics, Medical Physics Monograph 19*, edited by J. Purdy, pages 90 – 110, AAPM, New York, 1992.
- [10] D. W. O. Rogers, **Fundamentals of Dosimetry Based on Absorbed-Dose Standards**, in *Teletherapy Physics, Present and Future*, edited by J. R. Palta and T. R. Mackie, pages 319 – 356, AAPM, Washington DC, 1996.
- [11] D. Sheikh-Bagheri, I. Kawrakow, B. Walters, and D. W. O. Rogers, **Monte Carlo simulations: efficiency improvement techniques and statistical considerations**, in *Proc of AAPM 2006 Summer School: Integrating New Technologies into the Clinic: Monte Carlo and Image-Guided Radiation Therapy*, edited by B. H. Curran, J. E. Balter, and I. J. Chetty, pages 71 – 91, Med. Phys. Pub., Madison, WI, 2006.

- [12] D. W. O. Rogers, **General characteristics of radiation dosimeters and a terminology to describe them**, in *Clinical Dosimetry Measurements in Radiotherapy*, edited by D. W. O. Rogers and J. E. Cygler, pages 137 – 145, Med. Phys. Pub., Madison, WI, 2009.
- [13] D. W. O. Rogers, **The physics of the AAPM's TG-51 protocol**, in *Clinical Dosimetry Measurements in Radiotherapy*, edited by D. W. O. Rogers and J. E. Cygler, pages 239 – 296, Med. Phys. Pub., Madison, WI, 2009.
- [14] D. W. O. Rogers, **Stopping-power ratios, ratios of mass energy absorption coefficients and CSDA ranges of electrons**, in *Clinical Dosimetry Measurements in Radiotherapy*, edited by D. W. O. Rogers and J. E. Cygler, pages 1083 – 1102, Med. Phys. Pub., Madison, WI, 2009.
- [15] J. Seuntjens and D. W. O. Rogers, **Monte Carlo applications in measurement dosimetry**, in *Clinical Dosimetry Measurements in Radiotherapy*, edited by D. W. O. Rogers and J. E. Cygler, pages 147 – 180, Med. Phys. Pub., Madison, WI, 2009.

3 Book Editing

- [1] **Monte Carlo Transport of Electrons and Photons**, edited by T. M. Jenkins, W. R. Nelson, A. Rindi, A. E. Nahum, and D. W. O. Rogers, Plenum Press, New York, 1989, 638 pages.
- [2] **Clinical Dosimetry Measurements in Radiotherapy**, edited by D. W. O. Rogers and J. E. Cygler, Medical Physics Publishing, Madison Wisconsin, 2009, 1112 pages.

4 Published in Proceedings (final, refereed papers)

- [1] D. W. O. Rogers, A. E. Bielajew, and A. E. Nahum, **Monte Carlo Calculations of Electron Beams in Standard Dose Planning Geometries**, Proc. of Eighth Int'l Conf. on the Use of Computers in Radiotherapy, (IEEE Press) , 140 – 144 (1984).
- [2] A. F. Bielajew, D. W. O. Rogers, J. Cygler, and J. J. Battista, **A Comparison of Electron Pencil Beam and Monte Carlo Calculational Methods**, In “Proc. of the Ninth (1987) Int. Conf. on the Use of Computers in Radiation Therapy” ed. by I. A. D. Bruinvis et al. (North-Holland, Amsterdam) , 65 – 68 (1987).
- [3] G. M. Daskalov, R. Baker, R. C. Little, D. W. O. Rogers, and J. F. Williamson, **Multigroup Discrete Ordinates Photon Transport Calculations of Water Kerma for Brachytherapy Applications**, Proceedings of the 1998 ANS Radiation Protection and Shielding Division Topical Conference (ANS, Inc., La Grange Park, IL 60526) 2, 261 – 268 (1998).
- [4] J. Borg, I. Kawrakow, D. W. O. Rogers, and J. P. Seuntjens, **Experimental verification of EGSnrc Monte Carlo calculated ion chamber response in low energy photon beams**, in *Proc. 22nd Ann. Int. Conf. of IEEE Engineering in Medicine and Biology Society*, pages 3152 – 3155, Vol. 4, IEEE, 2000.
- [5] D. W. O. Rogers and R. Mohan, **Questions for comparison of clinical Monte Carlo codes**, in *The Use of Computers in Radiotherapy, XIIth Int'l Conf., Heidelberg*, edited by W. Schlegel and T. Bortfeld, pages 120 – 122, Springer-Verlag, Heidelberg, 2000.
- [6] D. W. O. Rogers, I. Kawrakow, and B. R. B. Walters, **Revised relationship between R_{50} and E_0 for electron beams**, in *Engineering in Medicine and Biology Society. Proc of 22nd Annual Int'l Conf of IEEE*, pages 1070 – 1073, Vol 2, IEEE, 2000.
- [7] I. Kawrakow and D. W. O. Rogers, **The EGSnrc System, a status report.**, in *Advanced Monte Carlo for Radiation Physics, Particle Transport Simulation and Applications: Proc. of the Monte Carlo 2000 Meeting Lisbon*, edited by A. Kling, F. Barao, M. Nakagawa, L. Távora, and P. Vaz, pages 135 – 140, Springer, Berlin, 2001.

- [8] D. W. O. Rogers, **Monte Carlo techniques for primary standards of ionizing radiation and for dosimetry protocols**, in *Advanced Monte Carlo for Radiation Physics, Particle Transport Simulation and Applications: Proceedings of the Monte Carlo 2000 Meeting Lisbon*, edited by A. Kling, F. Barao, M. Nakagawa, L. Távora, and P. Vaz, pages 291 – 298, Springer, Berlin, 2001.
- [9] J. P. Seuntjens, I. Kawrakow, J. Borg, F. Hobeila, and D. W. O. Rogers, **Calculated and measured air-kerma response of ionization chambers in low and medium energy photon beams**, in *Recent developments in accurate radiation dosimetry, Proc. of an Int'l Workshop*, edited by J. P. Seuntjens and P. Mobit, pages 69 – 84, Med. Phys. Pub., Madison WI, 2002.

5 Published in Proceedings (extended abstracts)

- [1] D. W. O. Rogers, **Three Common Problems**, In Sixth ERDA Workshop on Personnel Neutron Dosimetry, Battelle Report PNL-2449 , 90 – 92 (1977).
- [2] D. W. O. Rogers, **The Use of Monte Carlo Techniques in Radiation Therapy**, Proceedings of CCPM Course on Computation in Radiation Therapy, Canadian College of Physicists in Medicine, London, Ontario (1983).
- [3] D. W. O. Rogers, **Electron Fluence to Dose Equivalent Conversion Factors Calculated with EGS3 for Electrons and Positrons from 100 keV to 20 GeV**, In “Proceedings of the International Beta Dosimetry Symposium” (USNRC Wash, DC), Report NUREG/CP-0050 , 43 – 46 (1984).
- [4] D. W. O. Rogers and A. F. Bielajew, **The Application of Monte Carlo Simulation to Dosimetry**, Proc. of VII Int. Conf. on Med. Phys, in Med. and Biol. Engin. and Comp. 23, 602 – 603 (1985).
- [5] K. R. Shortt, C. K. Ross, A. F. Bielajew, and D. W. O. Rogers, **Comparisons of Dosimetric Measurements and Calculations for Inhomogeneities Irradiated by Electron Beams**, Proc. of VII Int. Conf. on Med. Phys, in Med. and Biol. Engin. and Comp. 23, 604 – 605 (1985).
- [6] W. R. Nelson, H. Hirayama, and D. W. O. Rogers, **Electron Photon Transport using the EGS4 Monte Carlo Code**, Transactions of the American Nuclear Society 52, 379 – 380 (1986).
- [7] D. W. O. Rogers and A. F. Bielajew, **Energy-loss Straggling in Electron Monte Carlo Transport**, Transactions of the American Nuclear Society 52, 380 – 382 (1986).
- [8] D. W. O. Rogers, **Standards for Dosimetry**, In “Proceedings of the CCPM Symposium on the Physics of Radiation Oncology: Evaluation and Perspectives” (CCPM, Toronto) (1987).

- [9] T. R. Mackie, S. S. Kubsad, P. J. Reckwerdt, T. J. Kinsella, A. F. Bielajew, and D. W. O. Rogers, **The Ottawa-Madison Electron Gamma Algorithm (OMEGA) Project: Feasibility of Two Monte Carlo Techniques**, In "Proc. of the X'th Conf. on the Use of Comp. in Radiation therapy" Lucknow, India , 250 – 253 (1990).
- [10] T. R. Mackie, P. J. Reckwerdt, C. M. Wells, J. N. Yang, J. O. Deasy, M. Podgorsak, M. A. Holmes, D. W. O. Rogers, G. X. Ding, B. A. Faddegon, C. Ma, A. F. Bielajew, and J. Cygler, **The OMEGA Project: Comparison among EGS4 electron beam simulations, 3-D Fermi-Eyges calculations, and dose measurements**, In "Proc. of the XI'th Conf. on the Use of Comp. in Radiotherapy" (Med. Phys. Pub, Madison, WI) , 152 – 153 (1994).
- [11] C.-M. Ma and D. W. O. Rogers, **Monte Carlo calculated wall correction factors for plane-parallel chambers in high-energy electron beams**, in *Proceedings of the 1995 COMP Annual Meeting (Canadian Organization of Medical Physicists, Edmonton, Alberta)*, pages 117 – 118, 1995.
- [12] A. S. Kirov, D. W. O. Rogers, G. M. Daskalov, and J. F. Williamson, **Electron transport effects on the dosimetry of localized gamma sources with application to brachy- and neutron capture therapy**, International Symposium on Neutron Capture Therapy for Cancer, Zurich , 134 (1996).
- [13] M. Holmes, T. R. Mackie, D. W. O. Rogers, and G. X. Ding, **Comparison of clinical electron dose distributions between a commercial radiation treatment planning system and EGS4 Monte Carlo**, In "Proceedings of the XII-th Conference on the Use of Computers in Radiotherapy" (Med. Phys. Pub., Madison, WI) , 54 – 56 (1997).
- [14] J. Borg, J. P. Seuntjens, and D. W. O. Rogers, **Monte Carlo calculations of fluence spectra in air for several ^{192}Ir source configurations**, Proceedings of the 1998 COMP Annual Meeting (Canadian Organization of Medical Physicists, Edmonton, Alberta) , 177 – 179 (1998).
- [15] D. W. O. Rogers, C. K. Ross, J. P. Seuntjens, and K. R. Shortt, **Rationale for a New Dosimetry Protocol in Canada**, Proceedings of the 1998 COMP Annual Meeting (Canadian Organization of Medical Physicists, Edmonton, Alberta) , 21 – 24 (1998).
- [16] D. Sheikh-Bagheri, D. W. O. Rogers, C. K. Ross, and J. P. Seuntjens, **Optimization and Benchmarking of Monte Carlo Calculated Dose Distributions in Megavoltage Photon Beams**, Proceedings of the 1998 COMP Annual Meeting (Canadian Organization of Medical Physicists, Edmonton, Alberta) , 228 – 230 (1998).
- [17] C. L. Yang, D. W. O. Rogers, and J. P. Seuntjens, **Calculation of photon beam quality specifiers**, Proceedings of the 1998 COMP Annual Meeting (Canadian Organization of Medical Physicists, Edmonton, Alberta) , 186 – 188 (1998).
- [18] G. G. Zhang, D. W. O. Rogers, and J. E. Cygler, **Monte Carlo Investigation of electron beam relative output factors**, Proceedings of the 1998 COMP Annual Meeting (Canadian Organization of Medical Physicists, Edmonton, Alberta) , 34 – 36 (1998).

- [19] J. Borg, J. P. Seuntjens, I. Kawrakow, and D. W. O. Rogers, **Monte Carlo study of cavity theory at low energies**, Proceedings of the 1999 COMP Annual Meeting (Canadian Organization of Medical Physicists, Edmonton, Alberta) , 123 – 125 (1999).
- [20] C. L. Yang, D. W. O. Rogers, K. R. Shortt, and L. Van der Zwan, **Ion recombination in ion chambers in continuous radiation**, Proceedings of the 1999 COMP Annual Meeting (Canadian Organization of Medical Physicists, Edmonton, Alberta) , 23 – 25 (1999).
- [21] C. L. Yang, D. W. O. Rogers, K. R. Shortt, and L. Van der Zwan, **Ion recombination in ion chambers in continuous radiation**, Med. Phys. (abstract) , 1418 (1999).
- [22] M. Fippel, I. Kawrakow, F. Nüsslin, and D. W. O. Rogers, **Implementation of several variance reduction techniques into the XVMC Monte Carlo algorithm for photon beams**, in *The Use of Computers in Radiotherapy, XIIth Int'l Conf., Heidelberg*, edited by W. Schlegel and T. Bortfeld, pages 406 – 408, Springer-Verlag, Heidelberg, 2000.
- [23] N. Kalach and D. W. O. Rogers, **What constitutes a clinic-like radiotherapy beam**, Proc. of 2001 COMP Annual Meeting (Canadian Organization of Medical Physicists, Edmonton, Alberta) , 199 – 201 (2001).
- [24] E. Mainegra-Hing, D. W. O. Rogers, and I. Kawrakow, **Revision of correction factors for calibration of plane-parallel ionization chambers in ^{60}Co photon beams using EGSnrc Monte Carlo simulation system**, Proc. of 2001 COMP Annual Meeting (Canadian Organization of Medical Physicists, Edmonton, Alberta) , 76 – 78 (2001).
- [25] J. P. McCaffrey, K. R. Shortt, I. Kawrakow, and D. W. O. Rogers, **Wall attenuation and scatter corrections for ion chambers**, Proc. of 2001 COMP Annual Meeting (Canadian Organization of Medical Physicists, Edmonton, Alberta) , 79 – 81 (2001).
- [26] P. R. B. Saull and D. W. O. Rogers, **$^{90}\text{Sr}+^{90}\text{Y}$ dose rate measurements with the NRC extrapolation chamber and a comparison to EGSnrc Monte Carlo simulations**, Proc. of 2003 COMP Annual Meeting (Canadian Organization of Medical Physicists, Edmonton, Alberta) (2003).
- [27] L. Buckley and D. W. O. Rogers, **Calculated Pwall values in clinical photon beams**, Proc. of 2005 COMP Annual Meeting (Canadian Organization of Medical Physicists, Edmonton, Alberta) , 141 – 143 (2005).
- [28] E. S. M. Ali and D. W. O. Rogers, **Comparison between experimental measurements and Monte Carlo simulations for the off-focal radiation in x-ray systems**, Proc. 54th COMP Annual Scientific Meeting, Quebec City, Canada , 238 – 240 (2008).
- [29] D. J. La Russa and D. W. O. Rogers, **An EGSnrc investigation of ion chamber response to Co-60 beams** , Proc. 54th COMP Annual Scientific Meeting, Quebec City, Quebec , 225 – 227 (2008).
- [30] R. M. Thomson, R. E. P. Taylor, and D. W. O. Rogers, **Monte Carlo dosimetry for ^{125}I and ^{103}Pd eye plaque brachytherapy**, Proc. of 54th COMP Annual Scientific Meeting (Canadian Organization of Medical Physicists, Quebec, Quebec) , 268 – 270 (2008).

- [31] L. L. W. Wang and D. W. O. Rogers, **The replacement correction factors for cylindrical chambers in mega-voltage beams**, Proc. 54th COMP Annual Scientific Meeting, Quebec City, Quebec , 228 – 230 (2008).
- [32] M. McEwen, L. DeWerd, G. Ibbott, D. Rogers, S. Seltzer, and J. Seuntjens, **Updating the AAPM's TG-51 protocol for clinical reference dosimetry of high-energy photon beams**, IAEA-E2-CN-182, Book of Extended Synopses for Symp. on Standards, Applications and Quality Assurance in Medical Radiation Dosimetry (IAEA, Vienna) , 37 – 38 (2010).

6 Internal Reports

- [1] D. W. O. Rogers, **The 850 keV Resonance in $^{15}\text{N}(\alpha, \gamma)^{19}\text{F}$** , M.Sc. Thesis, University of Toronto (1969).
- [2] D. W. O. Rogers, **The Nuclear Structure of ^{19}F** , PhD Thesis, University of Toronto (Dec., 1971).
- [3] D. W. O. Rogers and D. Strottman, **The Oxford Users Manual for the Rochester-Oak-Ridge Shell Model Code on the R.H.E.L. 360/195**, Oxford Nuclear Physics Lab Report (Nov, 1973).
- [4] D. W. O. Rogers and D. C. Elliott, **Accelerator Safety Report, 150 kV Neutron Generator**, NRC Report PXNR 2367 (Sept, 1974).
- [5] D. W. O. Rogers, **The O.E.G. Physics Program Library**, Oxford Nuclear Physics Lab Report (Jan, 1974).
- [6] D. W. O. Rogers, **Analytic and Graphical Methods for Assigning Errors to Parameters in Non-Linear Least Squares Fitting**, NRC Report 14188 (July, 1974).
- [7] D. W. O. Rogers, **DOSE-VO1, A Fortran Program for Evaluating Albedo Dosimeter Readings**, NRC Report Report PXNR 2450 (Ottawa) (1977).
- [8] D. W. O. Rogers, **PLC-A Fortran program for use in Calibrating a Precision Long Counter**, NRC Report PXNR 2433 (1977).
- [9] D. W. O. Rogers, **On the Definition of Dose Equivalent Received from a Neutron Flux**, NRC Report PXNR 2432 (1977).
- [10] A. F. Bielajew and D. W. O. Rogers, **RALPHA, A Fortran subroutine to calculate neutron flux in the associated particle method**, NRC Report PXNR 2474 (1978).
- [11] D. W. O. Rogers and A. F. Bielajew, **Calculation of the Efficiency of a Proton Recoil Counter for measuring D-T neutrons**, NRC Report PXNR 2475 (1978).
- [12] D. W. O. Rogers, **FITTER, A Fortran Non-Linear Least Squares Fitting Package for the PDP-11**, NRC Report PXNR 2477 (1978).
- [13] D. W. O. Rogers, **A Note on the n-p Cross Section for Use in Recoil Proton Counter Efficiency Calculations**, NRC Report PXNR 2476 (1978).
- [14] D. W. O. Rogers, **Why not to trust a Neutron Remmeter**, NRC Report PXNR 2473 (June, 1978).
- [15] D. W. O. Rogers, **Energy Resource Requirements of a Solar Heating System**, NRC Energy Project Report EP-79-1 (Feb., 1979).
- [16] G. M. Ewart and D. W. O. Rogers, **Calculated Thick Target Bremsstrahlung Angular Distributions and Shielding Calculations**, NRC Report PXNR 2640 (1982).

- [17] D. W. O. Rogers and A. F. Bielajew, **The use of EGS for Monte Carlo calculations in medical physics**, Report PXR-2692, National Research Council Canada, (Ottawa, Canada K1A 0R6) (1984).
- [18] D. W. O. Rogers and G. M. Ewart, **Preliminary Report on a Project to Study Beam Contamination from a ^{60}Co Head**, NRC Report PXR 2640 (Dec., 1984).
- [19] D. W. O. Rogers, G. M. Ewart, A. F. Bielajew, and G. van Dyk, **Calculation of Contamination of the ^{60}Co Beam from an AECL Therapy Source**, NRC Report PXR-2710 (1985).
- [20] W. R. Nelson, H. Hirayama, and D. W. O. Rogers, **The EGS4 code system**, Report SLAC-265, Stanford Linear Accelerator Center, Stanford, California, 1985.
- [21] A. F. Bielajew and D. W. O. Rogers, **Photoelectron angular distribution in the EGS4 code system**, National Research Council Canada Report PIRS-0058 (1986).
- [22] A. F. Bielajew and D. W. O. Rogers, **PRESTA: The Parameter Reduced Electron-Step Transport Algorithm for electron Monte Carlo transport**, National Research Council Canada Report PIRS-0042 (1986).
- [23] D. W. O. Rogers, **The Role of the Ionizing Radiation Standards Section of NRC**, NRC Report PIRS-0061 (1986).
- [24] D. W. O. Rogers, **Services Offered by the Ionizing Radiation Standards Section**, NRC Report PIRS-0094 (1987).
- [25] A. F. Bielajew and D. W. O. Rogers, **Preliminary notes on wall attenuation corrections**, BIPM Document CCEMRI(1)/88-23 (1988).
- [26] D. W. O. Rogers, **Activities of the Ionizing Radiation Standards Section, 1985-1988. A Report to CCEMRI(1) of the BIPM.**, BIPM Document CCEMRI(1)/88-25 (1988).
- [27] K. R. Shortt, A. F. Bielajew, D. W. O. Rogers, and C. K. Ross, **Calculation of the Ratio of N_x for Cesium and Cobalt**, NRC Report PIRS-0142 (Ottawa, Ont) (1988).
- [28] S. Duane, A. F. Bielajew, and D. W. O. Rogers, **Use of ICRU-37/NBS collision stopping powers in the EGS4 system**, NRCC Report PIRS-0173, Ottawa, March (1989).
- [29] D. W. O. Rogers, S. Duane, A. F. Bielajew, and W. R. Nelson, **Use of ICRU-37/NBS radiative stopping powers in the EGS4 system**, National Research Council Canada report PIRS-0177 (1989).
- [30] D. W. O. Rogers, **Fundamentals of the AAPM's TG-21 Dosimetry Protocol**, NRC Report PIRS-0198 (Ottawa, Ontario) (1989).
- [31] H. Hirayama, W. R. Nelson, and D. W. O. Rogers, **How to Use EGS4 (in Japanese)**, KEK (Japanese National Laboratory for High Energy Physics) Internal Report 89-15 (1990).

- [32] D. W. O. Rogers, **Monte carlo Calculation of the Response of Parallel-Plate chambers in ^{60}Co beams**, NRC Report PIRS-0259 (Dec., 1990).
- [33] C.-M. Ma, A. E. Nahum, D. W. O. Rogers, and A. F. Bielajew, **Monte Carlo calculated wall correction and absorbed dose conversion factors for Fricke dosimetry using NRC vials**, NRCC Report PIRS285 (1991).
- [34] D. W. O. Rogers, **Uncertainties in graphite to air stopping-power ratios**, BIPM Document CCEMRI(1)91-12 (1991).
- [35] D. W. O. Rogers, C. Malamut, H. M. Kramer, and M. Boutillon, **Preliminary results of a comparison of Monte Carlo codes used in standards laboratories**, BIPM document CCEMRI(1)/91-20 (1991).
- [36] D. W. O. Rogers, **Compilation of Quantities Associated with Dosimetry Protocols**, NRC Report PIRS-291, NRC, Ottawa, K1A 0R6, 1991.
- [37] A. Kosunen and D. W. O. Rogers, **DDSPR: A Code for calculating photon beam depth-dose curves and stopping-power ratios for an arbitrary spectrum**, National Research Council Canada Report PIRS-298 (1992).
- [38] A. F. Bielajew and D. W. O. Rogers, **Variance reduction techniques**, National Research Council Canada Report PIRS-0396 (1993).
- [39] D. W. O. Rogers, **Uncertainties in the ^{60}Co graphite to air stopping-power ratio and a re-evaluation of $(W/e)_{\text{air}}$ values**, Report PIRS-363 (National Research Council Canada, Ottawa, also BIPM Document CCEMRI(I)/93-28) (1993).
- [40] D. W. O. Rogers, **Activities at NRC, 1991–1993, Report to the CCEMRI(I) Meeting, BIPM, April 1993**, BIPM document CCEMRI(I)/93-27 (1993).
- [41] G. X. Ding and D. W. O. Rogers, **Monte Carlo simulation of NPL linac and calculation of dose distributions and water/air stopping-power ratios**, NRC Report PIRS-0399, NRC, Ottawa, K1A 0R6, 1993.
- [42] W. R. Nelson, A. F. Bielajew, D. W. O. Rogers, and H. Hirayama, **EGS4 in '97: A decade of enhancements**, Stanford Linear Accelerator Report SLAC-PUB-6625 (Stanford, Calif) (1994).
- [43] W. R. Nelson, A. F. Bielajew, D. W. O. Rogers, and H. Hirayama, **EGS4 in '94: A decade of enhancements**, Stanford Linear Accelerator Report SLAC-PUB-6625 (Stanford, Calif) (1994).
- [44] A. F. Bielajew, H. Hirayama, W. R. Nelson, and D. W. O. Rogers, **History, overview and recent improvements of EGS4**, Technical Report PIRS-0436, NRC, Ottawa, Canada, 1994.
- [45] C.-M. Ma and D. W. O. Rogers, **BEAMDP Users Manual**, NRC Report PIRS 509c(rev A) (2004).

- [46] C.-M. Ma and D. W. O. Rogers, **BEAMDP as a General-Purpose Utility**, NRC Report PIRS 509e(rev A) (2004).
- [47] C.-M. Ma and D. W. O. Rogers, **BEAMDP Users Manual**, NRC Report PIRS 509c (1995).
- [48] C.-M. Ma and D. W. O. Rogers, **BEAMDP as a General-Purpose Utility**, NRC Report PIRS 509e (1995).
- [49] C.-M. Ma, P. Reckwerdt, M. Holmes, D. W. O. Rogers, and B. Geiser, **DOSXYZ Users Manual**, NRC Report PIRS 509b (1995).
- [50] C.-M. Ma and D. W. O. Rogers, **Beam characterization: a multiple-source model**, NRC Report PIRS 509d (1995).
- [51] D. W. O. Rogers, C.-M. Ma, G. X. Ding, and B. Walters, **BEAM Users Manual**, NRC Report PIRS 509a (1995).
- [52] D. W. O. Rogers, **NRC Activities and Publications, 1993–1995, Report to the CCEMRI(I) Meeting, BIPM, April 1995**, BIPM document CCEMRI(I)/95-35 (1995).
- [53] D. W. O. Rogers, **Re-evaluation of (W/e) and (W/e) $s_{gr,air}$: Status Report to CCEMRI(I) Meeting, BIPM, April 1995**, BIPM document CCEMRI(I)/95-34 (1995).
- [54] D. Sheikh-Bagheri and D. W. O. Rogers, **BEAM Example: A 16 MV photon beam**, NRC Report PIRS-509i (1995).
- [55] B. Walters and D. W. O. Rogers, **BEAM Example: Depth-Dose in a Phantom**, NRC Report PIRS-509j (1995).
- [56] B. Walters and D. W. O. Rogers, **QA for the BEAM System; Component Modules, Variance Reduction Options and Source Routines**, NRC Report PIRS-509k (1995).
- [57] G. G. Zhang and D. W. O. Rogers, **BEAM Example: A 10 MeV electron beam**, NRC Report PIRS 509h (1995).
- [58] G. X. Ding and D. W. O. Rogers, **Energy spectra, angular spread, and dose distributions of electron beams from various accelerators used in radiotherapy**, NRC Report PIRS-0439, NRC, Ottawa, K1A 0R6, 1995.
- [59] D. Sheikh-Bagheri and D. W. O. Rogers, **PAW: A tool to analyze phase space and DOSXYZ output**, NRC Report PIRS-509m (1996).
- [60] P. R. Almond, P. J. Biggs, B. M. Coursey, W. F. Hanson, M. S. Huq, R. Nath, and D. W. O. Rogers, **A status report on the absorbed dose to water based beam calibration protocol under consideration by the AAPM**, Report to IAEA committee of consultants, TG-51, 1996.
- [61] A. Booth and D. W. O. Rogers, **Monte Carlo study of effects of phantom size, radial position, and depth on photon beam calibration**, NRC Report PIRS-507, NRC Canada, Ottawa, K1A 0R6, 1995.

- [62] D. W. O. Rogers, A. F. Bielajew, N. V. Klassen, C. K. Ross, J. P. Seuntjens, K. R. Shortt, and L. Van der Zwan, **NRC Activities and Publications, 1995–1997: Report to CCEMRI(I) Meeting, BIPM**, CCEMRI(1)97–29 (1997).
- [63] J. Borg and D. W. O. Rogers, **Monte Carlo Calculations of Photon Spectra in Air from ^{192}Ir Sources**, NRC Report PIRS-629r , (see <http://www.irs.inms.nrc.ca/inms/irs/papers/PIRS629r/pirs629r.html>) (1998).
- [64] D. W. O. Rogers, C.-M. Ma, G. X. Ding, B. Walters, D. Sheikh-Bagheri, and G. G. Zhang, **BEAM98 Users Manual**, NRC Report PIRS 509(a)revC (1998).
- [65] J. A. Treurniet and D. W. O. Rogers, **BEAM and DOSXYZ GUI User's Manual**, NRC Report PIRS 0623 (1998).
- [66] D. W. O. Rogers and J. P. Seuntjens, **Photon beam quality specification for comparisons of absorbed dose to water**, BIPM document CCRI(1)99–25 (BIPM, Sèvres, France) (1999).
- [67] D. W. O. Rogers, I. Kawrakow, N. V. Klassen, C. K. Ross, J. P. Seuntjens, K. R. Shortt, L. Van der Zwan, J. Borg, and G. Daskalov, **NRC Activities and Publications, 1997–1999: Report to CCRI(I) Meeting, BIPM**, CCRI(1)99–24 (1999).
- [68] J. A. Treurniet and D. W. O. Rogers, **BEAM, DOSXYZ and BEAMDP GUI User's Manual**, NRC Report PIRS 0623(rev A) (1999).
- [69] J. A. Treurniet and D. W. O. Rogers, **EGS_Windows_4.0 User's Manual**, NRC Report PIRS–0669 (1999).
- [70] D. W. O. Rogers and J. Treurniet, **Monte Carlo calculated wall and axial non-uniformity corrections for primary standards of air kerma**, NRC Report PIRS–663, NRC, Ottawa, 1999 (see <http://people.physics.carleton.ca/~drogers/pubs/papers/RT99.pdf>).
- [71] C.-M. Ma, D. W. O. Rogers, and B. Walters, **DOSXYZ00 Users Manual**, NRC Report PIRS-0509B(revE) (2000).
- [72] I. Kawrakow and D. W. O. Rogers, **The EGSnrc Code System: Monte Carlo simulation of electron and photon transport**, Technical Report PIRS-701, National Research Council Canada, Ottawa, Canada, 2000.
- [73] I. Kawrakow and D. W. O. Rogers, **The EGSnrc Code System: Monte Carlo simulation of electron and photon transport**, Technical Report PIRS-701 (4th printing), National Research Council Canada, Ottawa, Canada, 2003.
- [74] I. Kawrakow and D. W. O. Rogers, **The EGSnrc Code System: Monte Carlo simulation of electron and photon transport**, Technical Report PIRS-701, National Research Council Canada, Ottawa, Canada, 2006.

- [75] I. Kawrakow and D. W. O. Rogers, **The EGSnrc Code System: Monte Carlo simulation of electron and photon transport**, NRC Technical Report PIRS-701 v4-2-2-5, National Research Council Canada, Ottawa, Canada. <http://www.irs.inms.nrc.ca/inms/irs/EGSnrc/EGSnrc.html>, 2007.
- [76] I. Kawrakow, E. Mainegra-Hing, D. W. O. Rogers, F. Tessier, and B. R. B. Walters, **The EGSnrc Code System: Monte Carlo simulation of electron and photon transport**, NRC Technical Report PIRS-701 v4-2-3-2, National Research Council Canada, Ottawa, Canada. http://www.nrc-cnrc.gc.ca/eng/solutions/advisory/egsnrc/download_egsnrc.html, 2011.
- [77] D. W. O. Rogers, I. Kawrakow, J. P. Seuntjens, and B. R. B. Walters, **NRC User Codes for EGSnrc**, Technical Report PIRS-702, National Research Council Canada, Ottawa, Canada, 2000.
- [78] D. W. O. Rogers, **Spencer-Attix water to air mass collision stopping power ratios as a function of depth and beam quality, R_{50}** , NRC Report PIRS-719, NRC Canada, Ottawa, K1A OR6, 2000.
- [79] D. W. O. Rogers, B. Walters, and I. Kawrakow, **BEAMnrc Users Manual**, NRC Technical Report PIRS-509(A) revL, National Research Council Canada, Ottawa, Canada. <http://www.irs.inms.nrc.ca/BEAM/beamhome.html>, 2011.
- [80] B. R. B. Walters and D. W. O. Rogers, **Monte Carlo estimates of %dd(10)_x for the NPL photon beams**, Report PIRS 659, NRC. Available at: <http://physics.carleton.ca/~drogers/pubs/papers/WR00.pdf>, 2000.
- [81] N. Kalach and D. W. O. Rogers, **What constitutes a clinic-like radiotherapy beam**, BIPM document CCRI(1)/01-26 (BIPM, Sèvres, France) (2001).
- [82] E. Mainegra-Hing, D. W. O. Rogers, and I. Kawrakow, **Revision of correction factors for calibration of plane-parallel ionization chambers in ^{60}Co photon beams using EGSnrc Monte Carlo simulation system**, BIPM document CCRI(1)/01-28 (BIPM, Sèvres, France) (2001).
- [83] C.-M. Ma, D. W. O. Rogers, and B. Walters, **DOSXYZnrc Users Manual**, NRC Report PIRS 509b(revF) (2001).
- [84] D. W. O. Rogers, J. McCaffrey, I. Kawrakow, and K. R. Shortt, **Wall correction factors for graphite walled ion chambers**, BIPM document CCRI(1)/01-25 (BIPM, Sèvres, France) (2001).
- [85] D. W. O. Rogers, C.-M. Ma, G. X. Ding, B. Walters, D. Sheikh-Bagheri, and G. G. Zhang, **BEAMnrc Users Manual**, NRC Report PIRS 509(a)revF (2001).
- [86] D. W. O. Rogers, I. Kawrakow, N. V. Klassen, J. P. McCaffrey, C. K. Ross, K. R. Shortt, L. Van der Zwan, and G. Daskalov, **NRC Activities and Publications, 1999–2001: Report to CCRI(I) Meeting, BIPM**, CCRI(1)00-23 (2001).

- [87] J. A. Treurniet, B. R. B. Walters, and D. W. O. Rogers, **BEAMnrc, DOSXYZnrc and BEAMDP GUI User's Manual**, NRC Report PIRS 0623(rev B) (2001).
- [88] J. A. Treurniet, B. R. B. Walters, and D. W. O. Rogers, **BEAMnrc, DOSXYZnrc and BEAMDP GUI User's Manual**, NRC Report PIRS 0623(rev C) (2004).
- [89] B. R. B. Walters and D. W. O. Rogers, **DOSXYZnrc Users Manual**, NRC Report PIRS 794 (2002).
- [90] I. Kawrakow, E. Mainegra-Hing, and D. W. O. Rogers, **EGSnrcMP: the multi-platform environment for EGSnrc**, Technical Report PIRS-877, National Research Council Canada, Ottawa, Canada, 2003.
- [91] D. W. O. Rogers and J. McCaffrey, **The 2003 revision of the NRC standard for air-kerma in a ^{60}Co beam**, NRC Report PIRS-876, NRC Canada, Ottawa, K1A OR6, 2003.
- [92] D. W. O. Rogers, I. Kawrakow, J. P. Seuntjens, B. R. B. Walters, and E. Mainegra-Hing, **NRC User Codes for EGSnrc**, Technical Report PIRS-702(RevB), National Research Council Canada, Ottawa, Canada, 2003.
- [93] D. W. O. Rogers, B. Walters, and I. Kawrakow, **BEAMnrc Users Manual**, NRC Report PIRS 509(a)revH (2004).
- [94] D. W. O. Rogers, B. Walters, and I. Kawrakow, **BEAMnrc Users Manual**, NRC Report PIRS 509(a)revK (2006).
- [95] B. R. B. Walters and D. W. O. Rogers, **DOSXYZnrc Users Manual**, NRC Report PIRS 794 (rev A) (2004).
- [96] B. R. B. Walters and D. W. O. Rogers, **DOSXYZnrc Users Manual**, NRC Report PIRS 794 (rev B) (2004).
- [97] B. R. B. Walters, I. Kawrakow, and D. W. O. Rogers, **DOSXYZnrc Users Manual**, NRC Report PIRS 794 (rev B) (2005).
- [98] D. W. O. Rogers, B. Walters, and I. Kawrakow, **BEAMnrc Users Manual**, NRC Report PIRS 509(a)revI (2005).
- [99] R. Capote, R. Jeraj, C.-M. Ma, D. W. O. Rogers, F. Sánchez-Doblado, J. Sempau, J. Seuntjens, and J. V. Siebers, **Phase-space Database for External Beam Radiotherapy: Summary Report of a Consultants' Meeting**, Technical Report INDC(NDS)-0484, International Nuclear Data Committee, INDC, IAEA, Vienna, Austria, 2006.
- [100] T. P. Selvam and D. W. O. Rogers, **Inclusion of Bragg-Gray theory stopping-power ratios in the SPRRZnrc code**, Technical Report CLRP 06-01, Carleton Laboratory for Radiotherapy Physics, Carleton University, Ottawa K1S 5B6, Canada, 2006.

- [101] Z. Sego and D. W. O. Rogers, **Update of BEAMDP multiple source modelling capabilities**, Technical Report CLRP 06-02, Carleton Laboratory for Radiotherapy Physics, Carleton University, Ottawa K1S 5B6, Canada, 2006.
- [102] E. S. M. Ali and D. W. O. Rogers, **Manual of backscatter_clrp: An EGSnrc user-code for backscatter calculations**, Technical Report CLRP 08-01 (8 pp), Carleton University, Ottawa, Canada. <http://physics.carleton.ca/clrp/backscatter>, 2008.
- [103] D. W. O. Rogers and A. Booth, **PROT: A General Purpose Utility for Calculating Quantities related to Dosimetry Protocols**, Technical Report CLRP 08-01, PIRS-529(rev, in preparation), Carleton University and NRC, Ottawa, K1A 5B6, 2008.
- [104] B. R. Muir, G. Xiong, T. P. Selvam, and D. W. O. Rogers, **^{60}Co phase-space files generated using BEAMnrc**, Technical Report CLRP 09-01, Carleton Laboratory for Radiotherapy Physics, Carleton University, Ottawa K1S 5B6, Canada, 2009.
- [105] B. R. Muir and D. W. O. Rogers, **Monte Carlo calculations of the beam quality conversion factor, k_Q , for cylindrical ionization chambers**, Technical Report CLRP 10-02, Carleton Laboratory for Radiotherapy Physics, Carleton University, Ottawa, Canada. <http://physics.carleton.ca/~drogers/>, 2010.
- [106] E. S. M. Ali and D. W. O. Rogers, **Validation of a new spectral functional form**, Technical Report CLRP 11-01 (15 pp), Carleton University, Ottawa, Canada. http://physics.carleton.ca/clrp/brem_spectra, 2011.
- [107] E. S. M. Ali and D. W. O. Rogers, **Implementation of photonuclear attenuation in EGSnrc**, Technical Report CLRP 12-01 (14 pp), Carleton University, Ottawa, Canada. <http://physics.carleton.ca/clrp/photonuclear>, 2012.
- [108] E. S. M. Ali, M. R. McEwen, and D. W. O. Rogers, **Data for an accurate transmission measurement benchmark**, Technical Report CLRP 12-02 (15 pp), Carleton University, Ottawa, Canada. <http://physics.carleton.ca/clrp/transmission>, 2012.
- [109] E. S. M. Ali, E. Mainegra-Hing, and D. W. O. Rogers, **Photonuclear attenuation and XCOM cross sections in EGSnrc**, Technical Report CLRP 14-01 (11 pp), Carleton University, Ottawa http://physics.carleton.ca/clrp/photonuclear_xcom, 2014.
- [110] M. Martinov, M. Rodriguez, D. W. O. Rogers, and R. M. Thomson, **Update to the CLRP TG-43 parameter database for brachytherapy**, Technical Report CLRP 13-01, Carleton University, Ottawa, Canada. <http://physics.carleton.ca/clrp>, 2014.
- [111] I. Sechopoulos, E. S. M. Ali, A. Badal, A. Badano, J. M. Boone, I. S. Kyprianou, E. Mainegra-Hing, K. L. McMillan, M. F. McNitt-Gray, D. W. O. Rogers, E. Samei, and A. C. Turner, **Monte Carlo reference data sets for imaging research: The report of AAPM Task Group 195**, AAPM Report 195, AAPM, Washington DC, 2015.

7 Other

- [1] D. W. O. Rogers, **Ionizing Radiation Dosimetry and Medical Physics**, Phys. in Canada 51(#4), 178 – 181 (1995) (review in special issue celebrating the 100-th anniversary of the discovery of the x-ray).
- [2] D. W. O. Rogers, **Why use TG–51 instead of TG–21**, AAPM Newsletter 25(#5), 17 – 19 (2000).
- [3] D. W. O. Rogers, **Why To Use TG–51**, Interactions (COMP Newsletter) 46(#3), 106 – 107 (2000).
- [4] D. W. O. Rogers, **Stanford International Workshop on Monte Carlo Treatment Planning**, Interactions (COMP Newsletter) 47(#1), 28 (2001).
- [5] D. W. O. Rogers, **Monte Carlo techniques in radiotherapy**, Phys. in Canada 58(#2), 63 – 70 (2002). (review in special issue on medical physics in Canada)
- [6] E. B. Podgorsak and D. W. O. Rogers, **Point/Counterpoint: Physicists are better educated for a career in medical physics if they graduate from a specialized medical physics graduate program rather than from a more traditional physics graduate program**, Medical Physics 31, (2004), 955 – 957. (a monthly invited ‘debate’)
- [7] D. W. O. Rogers and W. R. Hendee, **Point/Counterpoint: Scientific citation indices are useful in evaluating medical physicists for promotion and tenure**, Medical Physics 33, (2006), 1 – 3. (a monthly invited ‘debate’)
- [8] D. W. O. Rogers and William Whelan, **NSERC opening up for Medical Physics**, Interactions (COMP Newsletter) 56(#3) 89 – 91 (2010).
- [9] D. W. O. Rogers and Janelle A. Molloy, **Point/Counterpoint: All graduate medical physics programs should have an original research component**, Medical Physics 38, (2011), 2315 – 2317. (a monthly invited ‘debate’)

8 Book Reviews

Book Reviews

- [1] by F.H. Attix, **Introduction to Radiological Physics and Radiation Dosimetry**, Medical Physics 14 (1987) 692.

9 Non-Technical Publications

- [1] D.W.O. Rogers, **Hostility to Science in the University**, Science Forum 16 (1970) 3.
- [2] D.W.O. Rogers, **The Changing Scene in Canadian Science Policy**, Canadian University Press, spring 1971.
- [3] D.W.O. Rogers and C.K. Ross, **Survey of University Physics Departments for 1974**, Physics in Canada 31 No.2 (1975) 26.
- [4] D.W.O. Rogers, C.K. Ross and C.K. Scott,, **Survey of University Physics Departments for 1975**, Physics in Canada 32, No.2 (1976) 2.
- [5] D.W.O. Rogers, C.K. Ross and C.K. Scott, **The Plight of the Young Physicist in Canada**, Physics in Canada 32 No.3 (1976) 16.
- [6] D.W.O. Rogers, **A View from the Bottom of the Pyramid**, in Papers for Discussion for the Workshop on the optimization of age distribution in University Research, Science Council of Canada background document ss24-6/1977-2, June 1977.
also reprinted in Physics in Canada 33 (1978) 84-87.
- [7] D.W.O. Rogers, **Why Canada should stop selling its reactors to Third World Nations**, Science Forum 10 ,No.5 (1977) 9.
- [8] D.W.O. Rogers, **CANDU Inappropriate for Third World**, Canadian Renewable Energy News, Feb 1978, p4
- [9] David Rogers, **Energy in the Third World**, Canadian Renewable Energy News, April 1978, p17
- [10] David W.O. Rogers, **Is Nuclear Power Appropriate for Developing Countries**, May 1978, unpublished report, 79 pages.
- [11] David Rogers, **CANDUs: Who Benefits?**, Connections 1, No.2, April 1979.